

ПР-Ф-05.01.10, 19-3-2013

NOVOCARB Nr 20C NATURAL CALCIUM CARBONATE COATED

DESCRIPTION: A fine natural crystalline calcium carbonate with high brightness, derived from the Greek Dionyssos marble deposits, near Athens. The surface treatment produces a material completely hydrophobic.


CHEMICAL ANALYSIS:

CaCO ₃	≥	98.0	%	Fe ₂ O ₃	≤	0.07	%
SiO2	≤	0.35	%	Mn2O3	≤	0.01	%
MgO	≤	0.75	%	Moisture content	≤	0.2	%

PHYSICAL PROPERTIES:

Fineness d (0.97) Mean particle size d (0.50) Finer than 2 μm

16 – 20 μm 4-6 μm 14-26 %



Specific gravity	2.6				
Loose bulk density	0.7 g/cm ³				
Oil absorption	19 g/100 g				
Hardness (Mohs scale)	3				
OPTICAL PROPERTIES:					

	Whiteness (Whiteness index ASTM 313) \geq 97.5
APPLICATIONS:	Some common uses of this filler product: -PVC products (by extrusion blow molding, injection molding etc) -Cables -Paints & primers
PACKAGING:	25 kg. Bags on pallet weighing 1250 kg (50 bags) Within Greece: In bulk with 25 tn truck

The above values are indicative. They are based on test results, carried out in external laboratories, as well as on continuous measurements carried out under the quality management system (ISO 9001) applied.

